Freedom 345

34' Dual Console



Freedom 345 Main Specifications

Beam Amidships	11'7" (3.53 m)
Center Line Length w/o Engines	33'6" (10.21 m)
Bridge Clearance	9'5" (2.87 m)
Weight w/o Engines	TBD
Cockpit Depth	29" (0.74 m)
Hull Draft	27" (0.69 m)
Transom Deadrise	20 degrees (SeaV progression)
Maximum HP	1050 (783 kW)
Fuel Capacity - Standard	293 gal. (1109 l)

Freedom 345 Features & Options

STANDARD FEATURES

Safety

Automatic bilge pumps (2) (total 3000 GPH) (11356 LPH)

Basic flotation

Bow grab rail - low profile 316 grade stainless steel

Composite stringer system & transom - water impervious

Fire extinguisher holder

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (6)

Stainless steel through-hull fittings

Yamaha Siren Marine Vessel Monitoring System

Cockpit & Deck

100% hand laid SeaV2 hull & deck

Accessory outlet - 5V duplex USB port and starboard

Accessory outlet - 12V

Air conditioning - 16,000 BTU at helm

Anchor windlass w/rode, line, and remote switches at helm & windlass

Batteries (4) w/battery select switches (one per engine) & charger system (1)

Bow thruster

Generator - 5 kW diesel, 13-gallon (49.2 l) fuel capacity

Hardtop - AV²® enclosure w/painted aluminum frame, grab rail, storage net, LED spreader lights, tri-colored (red, blue, white) LED recessed lights (6), hatches (2), horizontal hanging rod holders (4), side mounted rod holders (4), outrigger plates, SureShade® electrically retractable hardtop shade w/Sunbrella® canvas (oyster) & Clear2Sea™ side curtains (ivory)

Hydraulic trim tabs w/indicator & retractor

International lighting

Cleats - flush mount (pull up) Livewell - 32-gallon (121 I) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH Cockpit bolsters pump) (4164 LPH) Cockpit freshwater shower (recessed) Phone charger (wireless) - helm mounted Cockpit lights - blue LED Rod holders - cockpit (4) Cockpit side doors - port & starboard w/boarding ladder Rubrail - high density PVC w/stainless steel insert Companion grab rail Seating - electromechanically extendable companion lounge seat w/storage Compass Seating - Command Elite helm chairs (2) horizontally Console grab rail adjustable w/deluxe cushioning & flip-up bolsters & folddown armrests Cutting board Seating - foldaway aft bench seat w/cushion Deck hardware - 316 grade stainless steel through-bolted Seating - port & starboard bow cushioned seating Dockside power w/galvanic isolator Seating - wraparound companion bench seat w/electrically Drink holders - stainless steel (19) adjustable table Engine flush system w/hose attachment aft (one per engine) Steering - Helm Master® EX w/Full Maneuverability Factory engine pre-rigging Steering wheel - 316 grade stainless steel w/knob Fender cleats - Phender Pro™ quick-release Stereo - Deluxe stereo system w/waterproof touch screen display, AMFM tuner, Wi-Fi & Bluetooth® connectivity, Fish/ice box - 166-qt. (157 I) aft insulated box w/lights (2) ob drain helm subwoofer & remote unit; speakers w/LED lights bow (2), hardtop (4), cabin console (2) Fish/ice box - 81-qt. (77 I) aft insulated box w/ob drain Stern eyes - 316 grade stainless steel Fish/ice box - 200-qt. (189 I) starboard bow insulated box w/ob drain Storage - forward anchor locker w/rode storage Fish/ice box - 130-qt. (123 I) port bow insulated box w/ob drain Storage - helm floor compartment Flush mount electronics area Storage - port bow drawer Footrest - helm Sun platform insert w/cushion Forward bolsters Table - fiberglass bow table (doubles as sun platform Fuel capacity - 293 gallons (1109 I) (port & starboard fills) insert) Washdown - freshwater (forward & aft) Washdown - pressurized raw water Water heater - 6-gallon (22.7 I) (includes hot water cockpit shower) Water tank - 32-gallon (121 I) freshwater Wet bar w/refrigerator, sink, storage drawers, 1300W grill, trash bin, drink holders (2) & indirect courtesy lighting (blue) Windshield - full protection walk-through glass

w/electromechanically operated center vent & windbreak door

Windshield wipers - pantograph w/washer (2)

Console Interior

Accessory outlet - 5V duplex USB port

Air conditioning - 8,000 BTU in portside cabin console w/additional outlet in starboard console

Carbon monoxide detector

Composite teak & holly soles

Port console w/electromechanically operated sliding berth, bench seat, TV - 19" LED flat screen w/HDMl inlet, microwave, mirror, indirect lighting, skylight & handcrafted cabinetry with fluted inlay

Starboard console w/shower, sink, indirect & vanity lighting, skylight, handcrafted cabinetry with fluted inlay, fold down seat & VacuFlush® head w/freshwater supply, 10-gallon (38 l) holding tank, overboard discharge & deck pump out

OPTIONAL FEATURES

Options

CE certification package (European Conformity)

Freezer - refrigerator/freezer aft fish box w/digitally controlled thermostat & ob drain

Hardtop color - underside of fiberglass hardtop (requires matching gelcoat hull color option)

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

International AC electrical conversion - 220V (50Hz)

Lighting - underwater blue LED (4)

Outrigger kit - 18-ft. (5.5 m) crank hardtop mounted stainless steel outriggers w/carbon fiber poles

Stabilizer - Seakeeper® 3 gyroscopic stabilization system

Canvas Options

Aft curtain (ivory)

Drop curtain (ivory)

Bow cover (ivory)

Easy up bow shade (ivory mesh)